

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 1/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 914353
 Product name VISOCOLOR case Environm. analyses w. PF-12 Plus

REACH Registration number(s): see SECTION 3.1/3.2 or
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

- 4 x Alkaline Manganese Batteries Type AA
- 1 x Button cell CR2032, built-in
- 1 x 17 mL Fe-1
- 1 x 5 g Fe-2
- 1 x 10 mL Ind. p
- 1 x 15 mL Indicator H 20 F
- 1 x 10 mL Indicator m
- 2 x 24 mL pH-1
- 1 x 100 mL TL C 20
- 1 x 100 mL TL H 20
- 1 x 30 mL NH₄ -1
- 1 x 2,5 g NH₄ -2
- 1 x 10 mL NH₄ -3
- 1 x 30 mL NO₃ -1
- 1 x 5 g NO₃ -2
- 1 x 30 mL NO₂ -1
- 1 x 5 g NO₂ -2
- 1 x 25 mL PO₄ -1
- 1 x 25 mL PO₄ -2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
 Product for analytical use.
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
 The exposure scenario is integrated into sections 1-16.

Uses advised against
 not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
 MACHEREY-NAGEL GmbH & Co. KG
 Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY
 Tel.: +49 2421 969 0
 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
 DE: Gemeinsames Gif tinformat ionszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet: <http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.0 Classification of the complete product



GHS02 GHS05 GHS07 GHS09

Signal word DANGER

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w.PF-12 Plus

Page: 2/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

Hazard identification	Hazard classes/categories
EUH031	031 not defined
H225	Flam. Liq. 2
H226	Flam. Liq. 3
H290	Met. Corr. 1
H314	Skin Corr. 1A
H315	Skin Irrit. 2
H318	Eye Dam. 1
H319	Eye Irrit. 2
H411	Aquatic Chronic 2
H412	Aquatic Chronic 3

2.1 Classification of the substance or mixture

Alkaline Manganese Batteries Type AA

Signal word Do not need labelling as hazardous
-

No hazard class

Button cell CR2032, built-in

Signal word Do not need labelling as hazardous
-

No hazard class

17 mL Fe-1

Signal word Do not need labelling as hazardous
-

No hazard class

5 g Fe-2

Signal word Do not need labelling as hazardous
-

No hazard class

10 mL Ind. p



Signal word GHS02
DANGER

Hazard identification	Hazard classes/categories
H225	Flam. Liq. 2

15 mL Indicator H 20 F



GHS02 GHS07

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm.analyses w.PF-12 Plus

Page: 3/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

Signal word WARNING

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H315	Skin Irrit. 2
H319	Eye Irrit. 2

10 mL Indicator m



GHS02

Signal word DANGER

Hazard identification	Hazard classes/categories
H225	Flam. Liq. 2

24 mL pH-1



GHS02

Signal word DANGER

Hazard identification	Hazard classes/categories
H225	Flam. Liq. 2

100 mL TL C 20

Signal word Do not need labelling as hazardous

No hazard class

100 mL TL H 20

Signal word Do not need labelling as hazardous

No hazard class

30 mL NH₄ -1



GHS05

Signal word DANGER

Hazard identification	Hazard classes/categories
H290	Met. Corr. 1
H314	Skin Corr. 1A

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w.PF-12 Plus

Page: 4/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

2,5 g NH₄ -2

Signal word

Do not need labelling as hazardous

No hazard class

10 mL NH₄ -3



GHS02

GHS05

Signal word

DANGER

Hazard identification

Hazard classes/categories

H226

Flam. Liq. 3

H314

Skin Corr. 1B

H412

Aquatic Chronic 3

30 mL NO₃ -1

Signal word

Do not need labelling as hazardous

No hazard class

5 g NO₃ -2



GHS09

Signal word

WARNING

Hazard identification

Hazard classes/categories

H411

Aquatic Chronic 2

30 mL NO₂ -1

Signal word

Do not need labelling as hazardous

Hazard identification

Hazard classes/categories

H290

Met. Corr. 1

5 g NO₂ -2

Signal word

Do not need labelling as hazardous

No hazard class

25 mL PO₄ -1

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w.PF-12 Plus

Page: 5/35

Printing date: 06.01.2021

Date of issue: 14.12.2020



GHS07

Signal word

WARNING

Hazard identification

Hazard classes/categories

H315

Skin Irrit. 2

H319

Eye Irrit. 2

25 mL PO₄ -2



GHS05

Signal word

DANGER

Hazard identification

Hazard classes/categories

EUH031

031 not defined

H318

Eye Dam. 1

2.2 Label elements

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

Metal corrosive solutions **do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2.1.3).

Alkaline Manganese Batteries Type AA

Do not need labelling as hazardous

Signal word: -

Button cell CR2032, built-in

Do not need labelling as hazardous

Signal word: -

17 mL Fe-1

Do not need labelling as hazardous

Signal word: -

5 g Fe-2

Do not need labelling as hazardous

Signal word: -

10 mL Ind. p



GHS02

Signal word: DANGER

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w.PF-12 Plus

Page: 6/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

15 mL Indicator H 20 F



GHS02



GHS07

Signal word: WARNING

10 mL Indicator m



GHS02

Signal word: DANGER

24 mL pH-1



GHS02

Signal word: DANGER

100 mL TL C 20

Do not need labelling as hazardous

Signal word: -

100 mL TL H 20

Do not need labelling as hazardous

Signal word: -

30 mL NH₄ -1



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2,5 g NH₄ -2

Do not need labelling as hazardous

Signal word: -

10 mL NH₄ -3



GHS02



GHS05

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w.PF-12 Plus

Page: 7/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

Signal word: DANGER

H314, H412

Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

30 mL NO₃ -1

Do not need labelling as hazardous

Signal word: -

5 g NO₃ -2



GHS09

Signal word: WARNING

30 mL NO₂ -1

Do not need labelling as hazardous

Signal word: -

5 g NO₂ -2

Do not need labelling as hazardous

Signal word: -

25 mL PO₄ -1



GHS07

Signal word: WARNING

25 mL PO₄ -2



GHS05

Signal word: DANGER

H318

Causes serious eye damage.

P280sh, P305+351+338, P310

Wear protective gloves/eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. The property H314 "Causes severe skin burns and eye damage." of some salts is not applicable, because the mixture is buffered to pH >3-4 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.). H290 "May be corrosive to metals." has only relevance for higher concentrations and larger amounts. The labelling GHS05 would be creating an "OVERLABELLING" (see GHS Directive 1272/2008/EC Annex I, chapter 1.5.2.1.3., until 125 mL no labelling

www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 8/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

necessary). ---

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

-

Information pertaining to particular risks to the environment

Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

Other hazards

Contains an odor intensive reagent. This SDS contains information on shipping and transport safety. ---

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

Alkaline Manganese Batteries Type AA

Chemical: *alkaline manganese battery*

CAS No.: -

Classification: No criteria for classification or naming of chemical not required.

Concentration: 99 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Button cell CR2032, built-in

Chemical: *Button cell on circuit board (lithium metal battery)*

CAS No.: -

Classification: No criteria for classification or naming of chemical not required.

Concentration: 99 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

17 mL Fe-1

Chemical: *triazine derivate*

CAS No.: -

Classification: No criteria for classification or naming of chemical not required.

TSCA Inventory: listed

Concentration: < 1.00 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *acetate buffer solution*

CAS No.: -

Classification: No criteria for classification or naming of chemical not required.

Formula: CH₃ COOH/K/Na•H₂ O

TSCA Inventory: all listed

KE No.: listed

Concentration: 45 - <60 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

5 g Fe-2

Chemical: *L(+)-ascorbic acid*

CAS No.: 50-81-7

Classification: No criteria for classification or naming of chemical not required.

Formula: C₆ H₈ O₆

Pseudonym: vitamin C

TSCA Inventory: listed

REACH Reg. No.: exempt, Annex IV

EC No.: 200-066-2

RTECS: C17650000

MFCD:

00064328

KE No.: KE-01947

Concentration: 20 - <30 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 9/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

Chemical: *sodium chloride* CAS No.: 7647-14-5
 Classification: No criteria for classification or naming of chemical not required.
 Formula: NaCl
 Pseudonym: salt
 TSCA Inventory: listed
 REACH Reg. No.: exempt, Annex V
 EC No.: 231-598-3
 RTECS: VZ4725000
 KE No.: KE-31387
 Concentration: 50 - <80 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

10 mL Ind. p

Chemical: *ethanol* CAS No.: 64-17-5
 (denatured with 1%IPA/1%MEK, acc.2016/1867/EU)
 Classification: H225, Flam. Liq. 2
 Formula: C₂H₆O; C₂H₅OH
 Pseudonym: ethyl alcohol, methylated spirit
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119457610-43-xxxx
 EC No.: 200-578-6
 RTECS: KQ6300000
 KE No.: KE-13217
 Concentration: 55 - <75 %
 acc. CLP (GHS): H225, Flam. Liq. 2

Index No.: 603-002-00-5
 MFCD: 00003568

Chemical: *phenolphthalein (pH indicator)* CAS No.: 77-09-8
 Classification: H341, Muta. 2, H350, Carc. 1A, H361f, Repr. 2
 Formula: C₂₀H₁₄O₄
 Pseudonym: 3,3-bis(4-hydroxyphenyl)-1(3H)-isobenzofuranone
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119498295-24-0000
SVHC listed: YES (> 1%)
 EC No.: 201-004-7
 RTECS: SM8380000
 KE No.: KE-03234
 Concentration: 0.1 - <1 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Index No.: 604-076-00-1
 MFCD: 00005913

15 mL Indicator H 20 F

Chemical: *triethanolamine* CAS No.: 102-71-6
 Classification: H315, Skin Irrit. 2, H319, Eye Irrit. 2, H335, STOT SE 3
 Formula: C₆H₁₅NO₃
 Pseudonym: 2,2',2"-nitrioltriethanol; tris(2-hydroxyethyl)amine
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119486482-31-xxxx
Dual-use: The application of this chemical is exempt from the regulation 2017/2268/EU (see IC350 remark 4).
 EC No.: 203-049-8
 RTECS: KL9275000
 KE No.: KE-25940
 Concentration: 20 - <45 %
 acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2

Chemical: *ethanol* CAS No.: 64-17-5
 (denatured with 1%IPA/1%MEK, acc.2016/1867/EU)
 Classification: H225, Flam. Liq. 2
 Formula: C₂H₆O; C₂H₅OH
 Pseudonym: ethyl alcohol, methylated spirit
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119457610-43-xxxx
 EC No.: 200-578-6
 RTECS: KQ6300000
 KE No.: KE-13217
 Concentration: 20 - <35 %
 acc. CLP (GHS): H226, Flam. Liq. 3

Index No.: 603-002-00-5
 MFCD: 00003568

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353 VISOCOLOR case Environm. analyses w.PF-12 Plus Page: 10/35
 Printing date: 06.01.2021 Date of issue: 14.12.2020

Chemical: *indicator dye(s)* CAS No.: -
 Classification: No criteria for classification or naming of chemical not required.
 TSCA Inventory: all listed, <1%
 Concentration: 0.1 - <1 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

10 mL Indicator m

Chemical: *methyl red (pH indicator)* CAS No.: 493-52-7
 Classification: No criteria for classification or naming of chemical not required.
 Formula: $C_{15} H_{15} N_3 O_2$
 Pseudonym: 4-(dimethylamino)-azobenzene-1,2'-carbonic acid
 TSCA Inventory: listed
 EC No.: 207-776-1
 RTECS: DG8960000 MFCD: 00002425
 KE No.: KE-06693
 Concentration: 0.1 - <1 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *ethanol* CAS No.: 64-17-5
 (denatured with 1%IPA/1%MEK, acc.2016/1867/EU)
 Classification: H225, Flam. Liq. 2
 Formula: $C_2 H_6 O$; $C_2 H_5 OH$
 Pseudonym: ethyl alcohol, methylated spirit
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119457610-43-xxxx
 EC No.: 200-578-6 Indice No.: 603-002-00-5
 RTECS: KQ6300000 MFCD: 00003568
 KE No.: KE-13217
 Concentration: 55 - <75 %
 acc. CLP (GHS): H225, Flam. Liq. 2

Chemical: *indicator dye(s)* CAS No.: -
 Classification: No criteria for classification or naming of chemical not required.
 TSCA Inventory: all listed, <1%
 Concentration: 0.1 - <1 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

24 mL pH-1

Chemical: *methyl red (pH indicator)* CAS No.: 493-52-7
 Classification: No criteria for classification or naming of chemical not required.
 Formula: $C_{15} H_{15} N_3 O_2$
 Pseudonym: 4-(dimethylamino)-azobenzene-1,2'-carbonic acid
 TSCA Inventory: listed
 EC No.: 207-776-1
 RTECS: DG8960000 MFCD: 00002425
 KE No.: KE-06693
 Concentration: < 0.10 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *ethanol* CAS No.: 64-17-5
 (denatured with 1%IPA/1%MEK, acc.2016/1867/EU)
 Classification: H225, Flam. Liq. 2
 Formula: $C_2 H_6 O$; $C_2 H_5 OH$
 Pseudonym: ethyl alcohol, methylated spirit
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119457610-43-xxxx
 EC No.: 200-578-6 Indice No.: 603-002-00-5
 RTECS: KQ6300000 MFCD: 00003568
 KE No.: KE-13217
 Concentration: 90 - <98 %
 acc. CLP (GHS): H225, Flam. Liq. 2



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353 VISOCOLOR case Environm. analyses w. PF-12 Plus Page: 11/35
 Printing date: 06.01.2021 Date of issue: 14.12.2020

Chemical: *phenolphthalein (pH indicator)* CAS No.: 77-09-8
 Classification: H341, Muta. 2, H350, Carc. 1A, H361f, Repr. 2
 Formula: C₂₀H₁₄O₄
 Pseudonym: 3,3-bis(4-hydroxyphenyl)-1(3H)-isobenzofuranone
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119498295-24-0000
SVHC listed: YES (> 1%)
 EC No.: 201-004-7 Indice No.: 604-076-00-1
 RTECS: SM8380000 MFCD: 00005913
 KE No.: KE-03234
 Concentration: 0.01 - <0.1 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *indicator dye(s)* CAS No.: -
 Classification: No criteria for classification or naming of chemical not required.
 TSCA Inventory: all listed, <1%
 Concentration: 0.01 - <0.1 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

100 mL TL C 20

Chemical: *hydrochloric acid* CAS No.: 7647-01-0
 Classification: H290, Met. Corr. 1, H314, Skin Corr. 1B, H331, Acute Tox. 3 inh.
 Formula: HCl•H₂O
 Pseudonym: aqueous hydrogen chloride
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119484862-27-xxxx
 EC No.: 231-595-7 Indice No.: 017-002-01-X
 RTECS: MW4025000
 KE No.: KE-20189, >10% Toxic 97-1-203, Acc. Precaution Chem.
 Concentration: 0.1 - <1 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

100 mL TL H 20

Chemical: *ethylenedinitrilo tetraacetic acid, di Na-salt (EDTA-Na)* CAS No.: 6381-92-6
 Classification: H332, Acute Tox. 4 inh., H373, STOT RE 2
 Formula: C₁₀H₁₄N₂Na₂O₈•2H₂O
 TSCA Inventory: listed (CAS 139-33-3)
 EC No.: 205-358-3
 RTECS: AH4410000; AH4375000 MFCD: 00150037
 Concentration: 0.1 - <1 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

30 mL NH₄-1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
 Classification: H290, Met. Corr. 1, H314, Skin Corr. 1B
 Formula: NaOH•H₂O
 Pseudonym: soda lye
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119457892-27-xxxx
 EC No.: 215-185-5 Indice No.: 011-002-00-6
 RTECS: WB4900000
 KE No.: KE-31487
 Concentration: 5 - <10 %
 acc. CLP (GHS): H290, Met. Corr. 1, H314, Skin Corr. 1B

Chemical: *tri-sodium citrate* CAS No.: 6132-04-3
 Classification: No criteria for classification or naming of chemical not required.
 Formula: C₆H₅Na₃O₇•2H₂O
 TSCA Inventory: listed (CAS 68-04-2)
 REACH Reg. No.: 01-2119457027-40-xxxx
 EC No.: 200-675-3
 RTECS: GE8300000
 KE No.: KE-20843
 Concentration: 10 - <20 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 12/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

2,5 g NH₄-2

Chemical: *dichloroisocyanuric acid, Na salt* CAS No.: 2893-78-9
 Classification: H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H319, Eye Irrit. 2, H335, STOT SE 3, H410, Aquatic
 Chronic 1, EUH031, 031 not defined
 Formula: C₃Cl₂N₃NaO₃
 Pseudonym: troclosene sodium, sodium 3,5-dichloro-2,4,6-trioxo-1,3,5-triazinan-1-ide
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119489371-33-xxxx
 EC No.: 220-767-7
 RTECS: XZ1900000
 KE No.: KE-10215, >25% Toxic 2014-1-688
 Concentration: 3 - <10 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Indice No.: 613-030-01-7
 MFCD: 00006036

Chemical: *sodium chloride* CAS No.: 7647-14-5
 Classification: No criteria for classification or naming of chemical not required.
 Formula: NaCl
 Pseudonym: salt
 TSCA Inventory: listed
 REACH Reg. No.: exempt, Annex V
 EC No.: 231-598-3
 RTECS: VZ4725000
 KE No.: KE-31387
 Concentration: 80 - <100 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

10 mL NH₄-3

Chemical: *sodium nitroprusside* CAS No.: 13755-38-9
 Classification: H301, Acute Tox. 3 oral
 Formula: Na₂[Fe(CN)₅NO]₂ · 2 H₂O
 Pseudonym: disodium pentacyanonitrosylferrate
 TSCA Inventory: listed (CAS 14402-89-2)
 EC No.: 238-373-9
 RTECS: LJ89250000
 KE No.: not listed
 Concentration: 1 - <5 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *ethanol* CAS No.: 64-17-5
 (denatured with 1%IPA/1%MEK, acc.2016/1867/EU)
 Classification: H225, Flam. Liq. 2
 Formula: C₂H₆O; C₂H₅OH
 Pseudonym: ethyl alcohol, methylated spirit
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119457610-43-xxxx
 EC No.: 200-578-6
 RTECS: KQ6300000
 KE No.: KE-13217
 Concentration: 35 - <55 %
 acc. CLP (GHS): H226, Flam. Liq. 3

Indice No.: 603-002-00-5
 MFCD: 00003568

Chemical: *thymol* CAS No.: 89-83-8
 Classification: H302, Acute Tox. 4 oral, H314, Skin Corr. 1B, H411, Aquatic Chronic 2
 Formula: C₁₀H₁₄O
 Pseudonym: 5-methyl-2-(1-methylethyl)-phenol
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119511177-46-xxxx
 EC No.: 201-944-8
 RTECS: XP2275000
 KE No.: KE-24420
 Concentration: 5 - <10 %
 acc. CLP (GHS): H314, Skin Corr. 1B, H412, Aquatic Chronic 3

Indice No.: 604-032-00-1
 MFCD: 00002309

30 mL NO₃-1

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353 VISOCOLOR case Environm.analyses w.PF-12 Plus Page: 13/35
 Printing date: 06.01.2021 Date of issue: 14.12.2020

Chemical: *m-phenylenediammonium dichloride* CAS No.: 541-69-5
Classification: No criteria for classification or naming of chemical not required.
Formula: C₆H₁₀Cl₂N₂
Pseudonym: 1,3-benzenediamine, dihydrochloride
TSCA Inventory: listed
EC No.: 208-790-0 **Indice No.:** 612-148-00-9
RTECS: SS9800000 **MFCD:** 00012975
KE No.: KE-05-1004, >25% Toxic 97-1-334
Concentration: < 1.00 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *citric acid* CAS No.: 77-92-9
Classification: H303, Acute Tox. 5 oral, H316, Skin Irrit. 3, H319, Eye Irrit. 2
Formula: C₆H₈O₇
Pseudonym: 2-hydroxy-1,2,3-propanetricarboxylic acid
TSCA Inventory: listed
REACH Reg. No.: 01-2119457026-42-xxxx
EC No.: 201-069-1
RTECS: GE7350000/GE7810000
KE No.: KE-20831
Concentration: 1 - <10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

5 g NO₃-2

Chemical: *zinc powder (stabilized)* CAS No.: 7440-66-6
Classification: H410, Aquatic Chronic 1
Formula: Zn
TSCA Inventory: listed
REACH Reg. No.: 01-2119467174-37-xxxx
EC No.: 231-175-3 **Indice No.:** 030-002-01-9
RTECS: ZG8600000
KE No.: KE-35518
Concentration: 2.5 - <10 %
acc. CLP (GHS): H411, Aquatic Chronic 2

30 mL NO₂-1

Chemical: *sulfanilamide* CAS No.: 63-74-1
Classification: H303, Acute Tox. 5 oral
Formula: C₆H₈N₂O₂S
Pseudonym: 4-aminobenzene sulfonamide
TSCA Inventory: listed
EC No.: 200-563-4 **MFCD:** 00007939
RTECS: WO8400000
KE No.: KE-01188
Concentration: 1 - <10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *o-phosphoric acid* CAS No.: 7664-38-2
Classification: H290, Met. Corr. 1, H302, Acute Tox. 4 oral, H314, Skin Corr. 1B
Formula: H₃PO₄•H₂O
Pseudonym: orthophosphoric acid
TSCA Inventory: listed
REACH Reg. No.: 01-2119485924-24-xxxx
EC No.: 231-633-2 **Indice No.:** 015-011-00-6
RTECS: TB6300000
KE No.: KE-27427
Concentration: 1 - <10 %
acc. CLP (GHS): H290, Met. Corr. 1

5 g NO₂-2



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353
 Printing date: 06.01.2021
 VISOCOLOR case Environm.analyses w.PF-12 Plus
 Date of issue: 14.12.2020
 Page: 14/35

Chemical: *N-(1-naphthyl)-ethylendiamine dihydrochloride* CAS No.: 1465-25-4
 Classification: H315, Skin Irrit. 2, H319, Eye Irrit. 2
 Formula: C₁₂ H₁₆ Cl₂ N₂
 Pseudonym: N1-1-naphthalenyl-1,2-ethanediamine, dihydrochloride
 TSCA Inventory: listed
 EC No.: 215-981-2
 RTECS: KV5330000 MFCID: 00012556
 KE No.: not listed
 Concentration: 1 - <10 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *citric acid* CAS No.: 77-92-9
 Classification: H303, Acute Tox. 5 oral, H316, Skin Irrit. 3, H319, Eye Irrit. 2
 Formula: C₆ H₈ O₇
 Pseudonym: 2-hydroxy-1,2,3-propanetricarboxylic acid
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119457026-42-xxxx
 EC No.: 201-069-1
 RTECS: GE7350000/GE7810000
 KE No.: KE-20831
 Concentration: 1 - <10 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

25 mL PO₄-1

Chemical: *ammonium heptamolybdate* CAS No.: 12054-85-2
 Classification: No criteria for classification or naming of chemical not required.
 Formula: H₂₄ Mo₇ N₆ O₂₄
 Pseudonym: hexaammonium heptamolybdate
 TSCA Inventory: listed (CAS 11098-84-3)
 REACH Reg. No.: 01-2119498057-28-xxxx
 EC No.: 234-722-4
 RTECS: QA5076000 / QA4900000 MFCID: 00167059
 KE No.: not listed
 Concentration: 0.5 - <2 % Correlation factor: x 0.58 (= %Mo)
 The classification refers to weight percent of the metal (according to CLP Regulation 2008/1272/EC Annex VI, 1.1.3.2 Note 1)
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Chemical: *sulfuric acid (diluted < 5 %)* CAS No.: 7664-93-9d
 Classification: H315, Skin Irrit. 2, H319, Eye Irrit. 2
 Formula: H₂ SO₄ •H₂ O
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119458838-20-xxxx
 EC No.: 231-639-5 Indice No.: 016-020-00-8
 RTECS: WS5600000
 KE No.: KE-32570
 Concentration: 5 - <15 %
 acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2

25 mL PO₄-2

Chemical: *sodium disulfite* CAS No.: 7681-57-4
 Classification: H302, Acute Tox. 4 oral, H318, Eye Dam. 1, EUH031, 031 not defined
 Formula: Na₂ O₅ S₂
 Pseudonym: sodium metabisulphite, sodium pyrosulfite
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119531326-45-xxxx
 EC No.: 231-673-0 Indice No.: 016-063-00-2
 RTECS: UX8225000
 KE No.: KE-12701
 Concentration: 10 - <25 %
 acc. CLP (GHS): H318, Eye Dam. 1, EUH031, 031 not defined

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 15/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences. ---

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESSES ensure that the patient inhales oxygen. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. DANGER: Highly flammable (GHS regulation). Forms explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances. ---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary, contains only small amounts of these substances

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 16/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

6.4 Reference to other sections

see information in section 5.4 ---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 3

Water hazard class (DE): 3

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Alkaline Manganese Batteries Type AA

Chemical: *alkaline manganese battery*

CAS No.: -

Button cell CR2032, built-in

Chemical: *Button cell on circuit board (lithium metal battery)*

CAS No.: -

17 mL Fe-1

Chemical: *triazine derivate*

CAS No.: -

Chemical: *acetate buffer solution*

CAS No.: -

5 g Fe-2

Chemical: *L(+)-ascorbic acid*

CAS No.: 50-81-7

Chemical: *sodium chloride*

CAS No.: 7647-14-5

10 mL Ind. p

Chemical: *ethanol*

CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC_(fresh water): 0.96 mg/L
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 mL/m³ / 380 mg/m³
E/e respirable

Short-term exposure factor: 4 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

NIOSH: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³

Chemical: *phenolphthalein (pH indicator)*

CAS No.: 77-09-8

NIOSH: not listed, NTP Report on Carcinogens (RoC) List Yes (Reasonably anticipated to be a human carcinogen)

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

15 mL Indicator H 20 F

Chemical: *triethanolamine*

CAS No.: 102-71-6

DNEL: [derm] 6.3; [inh] 5 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC_(fresh water): 0.32 mg/L
PNEC = Predicted No Effect Concentration

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 17/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

TRGS 900 (DE): - DFG: 5 E mg/m³
E/e respirable

Short-term exposure factor: I, (2)
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: [MAK] 5 e/[STEL] 10 e mg/m³

NIOSH: not listed
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *ethanol* CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC(fresh water): 0.96 mg/L
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 mL/m³ / 380 mg/m³
E/e respirable

Short-term exposure factor: 4 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

NIOSH: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³

Chemical: *indicator dye(s)* CAS No.: -

10 mL Indicator m

Chemical: *methyl red (pH indicator)* CAS No.: 493-52-7

Chemical: *ethanol* CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC(fresh water): 0.96 mg/L
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 mL/m³ / 380 mg/m³
E/e respirable

Short-term exposure factor: 4 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

NIOSH: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³

Chemical: *indicator dye(s)* CAS No.: -

24 mL pH-1

Chemical: *methyl red (pH indicator)* CAS No.: 493-52-7

Chemical: *ethanol* CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC(fresh water): 0.96 mg/L
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 mL/m³ / 380 mg/m³
E/e respirable

Short-term exposure factor: 4 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

NIOSH: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1000 ppm / 1900 mg/m³

Chemical: *phenolphthalein (pH indicator)* CAS No.: 77-09-8

NIOSH: not listed, NTP Report on Carcinogens (RoC) List Yes (Reasonably anticipated to be a human carcinogen)

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 18/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

Chemical: *indicator dye(s)*

CAS No.: -

100 mL TL C 20Chemical: *hydrochloric acid*

CAS No.: 7647-01-0

DNEL: [inh] 8 mg/m³
DNEL = Derived No-Effect Level (for workers)PNEC_(fresh water): 36 µg/L
PNEC = Predicted No Effect ConcentrationEU value: [TWA] 5 ppm / 8 mg/m³; [STEL] 10 ppm / 15 mg/m³TRGS 900 (DE): 2 mL/m³ / 3 mg/m³
E/e respirableShort-term exposure factor: 2 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excludedSUVA(CH) MAK value: 2 ppm / 3* mg/m³NIOSH: [C] 5 ppm / 7 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute periodOSHA: List of highly hazardous chemicals, toxics and reactives Yes (TQ = 5000 lbs) n/a; TWA 5 ppm / 7 mg/m³**100 mL TL H 20**Chemical: *ethyldinitrilo tetraacetic acid, di Na-salt (EDTA-Na)*

CAS No.: 6381-92-6

DNEL: [inh] 1.5 mg/m³
DNEL = Derived No-Effect Level (for workers)PNEC_(fresh water): 2.2 mg/L
PNEC = Predicted No Effect Concentration**30 mL NH₄ -1**Chemical: *sodium hydroxide solution*

CAS No.: 1310-73-2

DNEL: [inh] 1 mg/m³
DNEL = Derived No-Effect Level (for workers)TRGS 900 (DE): 2 mg/m³
E/e respirableShort-term exposure factor: (=1=, Y)
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excludedSUVA(CH) MAK value: 2 e mg/m³NIOSH: 2 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute periodOSHA: [TWA] 2 mg/m³Chemical: *tri-sodium citrate*

CAS No.: 6132-04-3

2,5 g NH₄ -2Chemical: *dichloroisocyanuric acid, Na salt*

CAS No.: 2893-78-9

NIOSH: not listed
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *sodium chloride*

CAS No.: 7647-14-5

10 mL NH₄ -3Chemical: *sodium nitroprusside*

CAS No.: 13755-38-9

Chemical: *ethanol*

CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)PNEC_(fresh water): 0.96 mg/L
PNEC = Predicted No Effect ConcentrationTRGS 900 (DE): 200 mL/m³ / 380 mg/m³
E/e respirableShort-term exposure factor: 4 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excludedSUVA(CH) MAK value: 500 ppm / 960 mg/m³NIOSH: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute periodOSHA: [TWA] 1000 ppm / 1900 mg/m³

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm.analyses w.PF-12 Plus

Page: 19/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

Chemical: *thymol* CAS No.: 89-83-8

30 mL NO₃ -1

Chemical: *m-phenylenediammonium dichloride* CAS No.: 541-69-5
 TRGS 900 (DE): - (0.1E_{alt}) mg/m³
 E/e respirable

Short-term exposure factor: 2 (II)
 skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

Chemical: *citric acid* CAS No.: 77-92-9

PNEC_(fresh water): 440 mg/L
 PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 2 E mg/m³
 E/e respirable

Short-term exposure factor: 2 (I) Y
 skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

5 g NO₃ -2

Chemical: *zinc powder (stabilized)* CAS No.: 7440-66-6

DNEL: 1_{inh} mg/m³
 DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): 0.1A / 2E mg/m³
 E/e respirable

30 mL NO₂ -1

Chemical: *sulfanilamide* CAS No.: 63-74-1

Chemical: *o-phosphoric acid* CAS No.: 7664-38-2

DNEL: 2.92 mg/m³
 DNEL = Derived No-Effect Level (for workers)

EU value: [TWA] 1 / [STEL] 2 mg/m³
 TRGS 900 (DE): [8h] 1 / [15min] 2 mg/m³
 E/e respirable

Short-term exposure factor: 2 (I), Y
 skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 1 mg/m³
 NIOSH: TWA 1 / ST 3 mg/m³

NIOSH STEL: 3 mg/m³
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: TWA 1 mg/m³

5 g NO₂ -2

Chemical: *N-(1-naphthyl)-ethylenediamine dihydrochloride* CAS No.: 1465-25-4

Chemical: *citric acid* CAS No.: 77-92-9

PNEC_(fresh water): 440 mg/L
 PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 2 E mg/m³
 E/e respirable

Short-term exposure factor: 2 (I) Y
 skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

25 mL PO₄ -1

Chemical: *ammonium heptamolybdate* CAS No.: 12054-85-2

TRGS 900 (DE): [Mo] 5 E mg/m³
 E/e respirable

SUVA(CH) MAK value: [Mo] 5 e mg/m³

Chemical: *sulfuric acid* CAS No.: 7664-93-9d

DNEL: 50 µg/m³
 DNEL = Derived No-Effect Level (for workers)

PNEC_(fresh water): 2.5 µg/L
 PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 0.1 E mg/m³
 E/e respirable

Short-term exposure factor: 1 (I)
 skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353	VISOCOLOR case Environm. analyses w. PF-12 Plus	Page: 20/35
Printing date: 06.01.2021	Date of issue: 14.12.2020	

SUVA(CH) MAK value: 0,1 e mg/m³
 NIOSH: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); TWA 1 mg/m³
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
 OSHA: [TWA] 1 mg/m³

25 mL PO₄ -2

Chemical: sodium disulfite CAS No.: 7681-57-4
 DNEL: [inh] 225 mg/m³
 DNEL = Derived No-Effect Level (for workers)
 TRGS 900 (DE): -
 E/e respirable
 SUVA(CH) MAK value: 5 e mg/m³
 NIOSH: [TWA] 5 mg/m³
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
 OSHA: none

8.2 Exposure controls

The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Alkaline Manganese Batteries Type AA

Appearance: solid Colour: black Odor: odorless

Button cell CR2032, built-in

Appearance: solid Colour: colored Odor: odorless
 Flammability (solid, gas): Do not transport damaged batteries. Special instruction necessary

17 mL Fe-1

Appearance: liquid Colour: slightly yellow Odor: acetic
 pH: 4-6

5 g Fe-2

Appearance: powder (solid) Colour: slightly yellow Odor: odorless

10 mL Ind. p

Appearance: liquid Colour: colourless Odor: alcoholic
 pH: 7-8
 Flash point: 22,5 °C
 Specific gravity: 0,89 g/cm³
 Solubility in water: 0-100 %

15 mL Indicator H 20 F

Appearance: liquid Colour: green Odor: aminic



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w.PF-12 Plus

Page: 21/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

pH: 10-11
Flash point: 29 °C

10 mL Indicator m

Appearance: liquid Colour: red Odor: alcoholic
pH: 6-8
Flash point: 22,5 °C
Specific gravity: 0,89 g/cm³
Solubility in water: 0-100 %

24 mL pH-1

Appearance: liquid Colour: red Odor: alcoholic
Odor limit: 19...93 mg/m³
pH: 7
Melting point: -114 °C
Boiling point: 78 °C
Flash point: > 12 °C
Explosion limits: 3.5 ...15 Vol%
Vapour pressure (20°C): 59 hPa
Vapour density_(air=1): 1,59
Specific gravity: 0,79-0,86 g/cm³
Solubility in water: 0-100 %
Flashing temperature: 425 °C
Volatiles by volume: 112 g/m³

100 mL TL C 20

Appearance: liquid Colour: colourless Odor: odorless
pH: 1-2
Specific gravity: 1,00 g/cm³
Solubility in water: 0-100 %

100 mL TL H 20

Appearance: liquid Colour: colourless Odor: aminic
pH: 9-10
Solubility in water: 0-100 %

30 mL NH₄ -1

Appearance: liquid Colour: colourless Odor: odorless
pH: 11,5-12,5

2,5 g NH₄ -2

Appearance: powder (solid) Colour: colourless Odor: chloric
pH: 5-7

10 mL NH₄ -3

Appearance: liquid Colour: rose Odor: organic
pH: 6-8
Flash point: 23 °C
Specific gravity: 0,9 g/cm³

30 mL NO₃ -1

Appearance: liquid Colour: rose Odor: odorless
pH: 2-3

5 g NO₃ -2

Appearance: powder (solid) Colour: slightly grey Odor: odorless
pH: 6,5-7,5

30 mL NO₂ -1

Appearance: liquid Colour: colourless Odor: odorless
pH: 2-3
Specific gravity: 1,04 g/cm³

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 22/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

5 g NO₂ -2Appearance: powder (solid)
pH:Colour: colourless
2-3

Odor: odorless

25 mL PO₄ -1Appearance: liquid
pH:
Specific gravity:Colour: colourless
1-2
1,07 g/cm³

Odor: odorless

25 mL PO₄ -2Appearance: liquid
pH:Colour: colourless
6-7

Odor: sulfuric

9.2 Other information**Relevant Properties of Substance Group**

Substances are very volatile and form flammable vapour-air mixtures. ---

SECTION 10: Stability and reactivity**10.1 Reactivity**

no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

Not necessary. ---

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

Alkaline Manganese Batteries Type AAChemical: *alkaline manganese battery*

CAS No.: -

Button cell CR2032, built-inChemical: *Button cell on circuit board (lithium metal battery)*

CAS No.: -

17 mL Fe-1Chemical: *triazine derivate*
TSCA Inventory: listed

CAS No.: -

Chemical: *acetate buffer solution*
TSCA Inventory: all listed
Korea Exist.Chem.Inventory: listed

CAS No.: -

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 23/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

5 g Fe-2

Chemical: *L(+)-ascorbic acid* CAS No.: 50-81-7
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-01947
 LD50_{orl rat}: 11900 mg/kg
 LD50_{ivn mus}: 518 mg/kg

Chemical: *sodium chloride* CAS No.: 7647-14-5
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-31387
 LD50_{orl rat}: 3000 mg/kg
 LD50_{drm rbt}: 10 g/kg

10 mL Ind. p

Chemical: *ethanol* CAS No.: 64-17-5
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1000 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
 Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;
 liver damage; anemia; reproductive, teratogenic
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: not listed, Japan PDSC: not listed
 Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-13217
 LD50_{orl rat}: 6200 mg/kg
 LC_{LoWihl} gpg: 21.9 g/m³
 LC_{LoWorl} hmn: 1400 mg/kg
 LC50_{ihl mouse}: [4h] 39 g/m³
 LC50_{ihl rat}: [10h] 20 g/m³
 LD50_{drm rbt}: 20 000 mg/kg
 LD50_{oral mouse}: 3450 mg/kg

TRGS 905 (DE): K5, M5, R_F C

Chemical: *phenolphthalein (pH indicator)* CAS No.: 77-09-8
 TSCA Inventory: listed California Proposition 65 List: listed, cancer
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: PRTR - Class II Designated Chemical Substance, Japan PDSC: not listed
 Japan ISHL: not listed
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-03234
 LD50_{orl rat}: >1000 mg/kg

EU carcinogen: Carcinogenicity cat. 2, Germ Cell Mutagenicity cat. 3, >5% Reproductive Toxicity cat. 3
 TRGS 905 (DE): Karzinogenität Kat. 2

15 mL Indicator H 20 F

Chemical: *triethanolamine* CAS No.: 102-71-6
 TSCA Inventory: listed California Proposition 65 List: not listed
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: PAC Yes, Japan PDSC: not listed
 Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-25940
 LD50_{orl rat}: > 5000 mg/kg
 LD50_{drm rbt}: > 2000 mg/kg

Chemical: *ethanol* CAS No.: 64-17-5
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1000 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
 Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

www.mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 24/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

liver damage; anemia; reproductive, teratogenic
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: not listed, Japan PDSCl: not listed
 Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-13217
 LD50_{orl rat}: 6200 mg/kg
 LC_{LoWihl gpg}: 21.9 g/m³
 LC_{LoWorl hmn}: 1400 mg/kg
 LC50_{ihl mouse}: [4h] 39 g/m³
 LC50_{ihl rat}: [10h] 20 g/m³
 LD50_{drm rbt}: 20 000 mg/kg
 LD50_{oral mouse}: 3450 mg/kg

TRGS 905 (DE): K5, M5, R_F C

Chemical: *indicator dye(s)* CAS No.: -
 TSCA Inventory: all listed, <1%

10 mL Indicator m

Chemical: *methyl red (pH indicator)* CAS No.: 493-52-7
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-06693
 LD50_{orl rat}: Keine Daten verfügbar
 LC50_{ihl rat}: Keine Daten verfügbar
 LD50_{drm rat}: Keine Daten verfügbar

Chemical: *ethanol* CAS No.: 64-17-5
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1000 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
 Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;
 liver damage; anemia; reproductive, teratogenic
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: not listed, Japan PDSCl: not listed
 Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-13217
 LD50_{orl rat}: 6200 mg/kg
 LC_{LoWihl gpg}: 21.9 g/m³
 LC_{LoWorl hmn}: 1400 mg/kg
 LC50_{ihl mouse}: [4h] 39 g/m³
 LC50_{ihl rat}: [10h] 20 g/m³
 LD50_{drm rbt}: 20 000 mg/kg
 LD50_{oral mouse}: 3450 mg/kg

TRGS 905 (DE): K5, M5, R_F C

Chemical: *indicator dye(s)* CAS No.: -
 TSCA Inventory: all listed, <1%

24 mL pH-1

Chemical: *methyl red (pH indicator)* CAS No.: 493-52-7
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-06693
 LD50_{orl rat}: Keine Daten verfügbar
 LC50_{ihl rat}: Keine Daten verfügbar
 LD50_{drm rat}: Keine Daten verfügbar

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w.PF-12 Plus

Page: 25/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

Chemical: *ethanol* CAS No.: 64-17-5
TSCA Inventory: listed California Proposition 65 List: not listed
ACGIH: 1000 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic
Australia NICNAS: not listed Canada CEPA 1999: DSL yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed $\geq 0,1\%$ / $\geq 0,1\%$, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-13217
LD50_{orl rat}: 6200 mg/kg
LC_{LoWihl gpg}: 21.9 g/m³
LC_{LoWorl hmn}: 1400 mg/kg
LC50_{ihl mouse}: [4h] 39 g/m³
LC50_{ihl rat}: [10h] 20 g/m³
LD50_{drm rbt}: 20 000 mg/kg
LD50_{oral mouse}: 3450 mg/kg

TRGS 905 (DE): K5, M5, Rf C

Chemical: *phenolphthalein (pH indicator)* CAS No.: 77-09-8
TSCA Inventory: listed California Proposition 65 List: listed, cancer
Australia NICNAS: not listed Canada CEPA 1999: DSL yes
Japan CSCL/PRTR: PRTR - Class II Designated Chemical Substance, Japan PDSCL: not listed
Japan ISHL: not listed
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-03234
LD50_{orl rat}: >1000 mg/kg

EU carcinogen: Carcinogenicity cat. 2, Germ Cell Mutagenicity cat. 3, >5% Reproductive Toxicity cat. 3
TRGS 905 (DE): Karzinogenität Kat. 2

Chemical: *indicator dye(s)* CAS No.: -
TSCA Inventory: all listed, <1%

100 mL TL C 20

Chemical: *hydrochloric acid* CAS No.: 7647-01-0
TSCA Inventory: listed California Proposition 65 List: not listed
Exposure Routes: inhalation, ingestion (solution), skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation nose, throat, larynx; cough, choking; dermatitis; solution: eye, skin burns; liquid: frostbite; in animals: laryngeal spasm; pulmonary edema
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance
Japan ISHL: listed $\geq 0,2\%$ / $\geq 0,1\%$, Article 57-2 (SDS required)
South Korea TCCA: Accident Precaution Chemical Yes
Korea Exist.Chem.Inventory: KE-20189, >10% Toxic 97-1-203, Acc. Precaution Chem.
LD50_{orl rat}: 900 mg/kg
LC50_{drm rbt}: >5010 mg/kg

100 mL TL H 20

Chemical: *ethylendinitrilo tetraacetic acid, di Na-salt (EDTA-Na)* CAS No.: 6381-92-6
TSCA Inventory: listed (CAS 139-33-3)
LD50_{orl rat}: 2800 mg/kg

30 mL NH₄ -1

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
TSCA Inventory: listed California Proposition 65 List: not listed
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w.PF-12 Plus

Page: 26/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: listed $\geq 1,0\%$ / $\geq 1,0\%$, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-31487
 LD50_{orl rat}: [40%] 1250 / [$<25\%$] >2000 mg/kg
 LD50_{drm rbt}: not applicable
 LD50_{orl mus}: 40 mg/kg

Chemical: *tri-sodium citrate* CAS No.: 6132-04-3
 TSCA Inventory: listed (CAS 68-04-2)
 Korea Exist.Chem.Inventory: KE-20843
 LD50_{orl rat}: >8000 mg/kg

2,5 g NH₄ -2

Chemical: *dichloroisocyanuric acid, Na salt* CAS No.: 2893-78-9
 TSCA Inventory: listed California Proposition 65 List: not listed
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: not listed
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-10215, $>25\%$ Toxic 2014-1-688
 LD50_{orl rat}: 550-1600 mg/kg
 LC_{Loworl hmn}: 3570 mg/kg
 LD50_{drm rbt}: >5000 mg/kg

Chemical: *sodium chloride* CAS No.: 7647-14-5
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-31387
 LD50_{orl rat}: 3000 mg/kg
 LD50_{drm rbt}: 10 g/kg

10 mL NH₄ -3

Chemical: *sodium nitroprusside* CAS No.: 13755-38-9
 TSCA Inventory: listed (CAS 14402-89-2)
 Korea Exist.Chem.Inventory: not listed
 LD50_{orl rat}: 99 mg/kg
 LC_{Loworl rat}: 20 mg/kg

Chemical: *ethanol* CAS No.: 64-17-5
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1000 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
 Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;
 liver damage; anemia; reproductive, teratogenic
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: listed $\geq 0,1\%$ / $\geq 0,1\%$, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-13217
 LD50_{orl rat}: 6200 mg/kg
 LC_{Lowihl gpg}: 21.9 g/m³
 LC_{Loworl hmn}: 1400 mg/kg
 LC50_{ihl mouse}: [4h] 39 g/m³
 LC50_{ihl rat}: [10h] 20 g/m³
 LD50_{drm rbt}: 20 000 mg/kg
 LD50_{oral mouse}: 3450 mg/kg

TRGS 905 (DE): K5, M5, R_F C

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353
 Printing date: 06.01.2021
 VISOCOLOR case Environm. analyses w.PF-12 Plus
 Date of issue: 14.12.2020
 Page: 27/35

Chemical: *thymol* CAS No.: 89-83-8
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-24420
 LD50_{orl rat}: 980 mg/kg
 LD50_{drm rat}: > 2000 mg/kg

30 mL NO₃ -1

Chemical: *m-phenylenediammonium dichloride* CAS No.: 541-69-5
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-05-1004, >25% Toxic 97-1-334
 LD50_{orl rat}: 280 mg/kg
 EU carcinogen: mut. 3
 TRGS 905 (DE): K3B, M3
 TRGS 907 (DE): Sh

Chemical: *citric acid* CAS No.: 77-92-9
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-20831
 LD50_{orl rat}: >3000 mg/kg
 LC50_{ihl rat}: 5800 mg/m³
 LD50_{drm rat}: >2000 mg/kg
 LD50_{orl mus}: 5400 mg/kg
 LD50_{scu rat}: 5500 mg/kg

5 g NO₃ -2

Chemical: *zinc powder (stabilized)* CAS No.: 7440-66-6
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-35518
 LD50_{orl rat}: >2000 mg/kg
 LC_{LoWinh hmn}: 124_{50min} mg/m³
 LC50_{ihl rat}: >5.4_{4h} mg/m³

30 mL NO₂ -1

Chemical: *sulfanilamide* CAS No.: 63-74-1
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-01188
 LD50_{orl rat}: 3900 mg/kg

Chemical: *o-phosphoric acid* CAS No.: 7664-38-2
 TSCA Inventory: listed
 ACGIH: 1 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system
 Symptoms: irritation eyes, skin, upper respiratory system; eye, skin, burns; dermatitis
 Australia NICNAS: not listed
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-27427
 LD50_{orl rat}: 1530 mg/kg
 LC50_{ihl rbt}: 1.689 mg/L
 LD50_{drm rbt}: 2750 mg/kg
 TRGS 905 (DE): R_F C
 California Proposition 65 List: not listed

5 g NO₂ -2

Chemical: *N-(1-naphthyl)-ethylendiamine dihydrochloride* CAS No.: 1465-25-4
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: not listed

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353	VISOCOLOR case Environm. analyses w. PF-12 Plus	Page: 28/35
Printing date: 06.01.2021	Date of issue: 14.12.2020	

Chemical: *citric acid* CAS No.: 77-92-9
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-20831
 LD50_{orl rat}: >3000 mg/kg
 LC50_{ihl rat}: 5800 mg/m³
 LD50_{drm rat}: >2000 mg/kg
 LD50_{orl mus}: 5400 mg/kg
 LD50_{scu rat}: 5500 mg/kg

25 mL PO₄ -1

Chemical: *ammonium heptamolybdate* CAS No.: 12054-85-2
 TSCA Inventory: listed (CAS 11098-84-3)
 Japan ISHL: listed ≥1,0%/≥0,1%,
 Korea Exist.Chem.Inventory: not listed

Chemical: *sulfuric acid* CAS No.: 7664-93-9d
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system, teeth
 Symptoms: irritation eyes, skin, nose
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance
 Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
 South Korea TCCA: Accident Precaution Chemical Yes
 Korea Exist.Chem.Inventory: KE-32570
 LD50_{orl rat}: 2140 mg/kg
 LC50_{ihl rat}: [8h] 600/ [4h] 850 mg/m³
 TRGS 905 (DE): R_F C

25 mL PO₄ -2

Chemical: *sodium disulfite* CAS No.: 7681-57-4
 TSCA Inventory: listed California Proposition 65 List: not listed
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system
 Symptoms: irritation eyes, skin, mucous membrane
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-12701
 LD50_{orl rat}: 1540 mg/kg
 LD50_{drm rat}: 2000 mg/kg

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

Alkaline Manganese Batteries Type AA

Chemical: *alkaline manganese battery* CAS No.: -

Button cell CR2032, built-in

Chemical: *Button cell on circuit board (lithium metal battery)* CAS No.: -

17 mL Fe-1

Chemical: *triazine derivat* CAS No.: -
 Storage class (VCI): 12-13

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 29/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

Chemical: *acetate buffer solution*
Storage class (VCI): 12

CAS No.: -

5 g Fe-2

Chemical: *L(+)-ascorbic acid*
Water hazard class (DE): 1 WGK No.: 0737
Storage class (VCI): 13

CAS No.: 50-81-7

Chemical: *sodium chloride*
Water hazard class (DE): 1
Storage class (VCI): 12-13

CAS No.: 7647-14-5

10 mL Ind. p

Chemical: *ethanol*
PNEC(fresh water) : 0.96 mg/L
PNEC = Predicted No Effect Concentration
LC50daphnia magna/48h : >100 mg/L
LC50pimephales promelas/96h : 13400 - 15100 mg/L
LC50leuciscus idus/96h : [48h] 8140 mg/L
LC50fish/96h : 13 g/L
EC50daphnia/48h : 9.3-14.2 g/L
IC50scenedesmus quadricauda/72h : [7d] 5000 mg/L
EC10pseudomonas putita/16h : [EC5] 6500 mg/L
Water hazard class (DE): 1 WGK No.: 0096
Dispersion coefficient(octanol-water) : -0.31
Storage class (VCI): 3

CAS No.: 64-17-5

Chemical: *phenolphthalein (pH indicator)*
Water hazard class (DE): 1
Dispersion coefficient(octanol-water) : 0.9
Storage class (VCI): 12-13

CAS No.: 77-09-8

15 mL Indicator H 20 F

Chemical: *triethanolamine*
PNEC(fresh water) : 0.32 mg/L
PNEC = Predicted No Effect Concentration
LC50fish/96h : >1000 mg/L
EC50daphnia/48h : >1000_{24h} mg/L
Water hazard class (DE): 1 WGK No.: 0201
Dispersion coefficient(octanol-water) : -2.3
Storage class (VCI): 12

CAS No.: 102-71-6

Chemical: *ethanol*
PNEC(fresh water) : 0.96 mg/L
PNEC = Predicted No Effect Concentration
LC50daphnia magna/48h : >100 mg/L
LC50pimephales promelas/96h : 13400 - 15100 mg/L
LC50leuciscus idus/96h : [48h] 8140 mg/L
LC50fish/96h : 13 g/L
EC50daphnia/48h : 9.3-14.2 g/L
IC50scenedesmus quadricauda/72h : [7d] 5000 mg/L
EC10pseudomonas putita/16h : [EC5] 6500 mg/L
Water hazard class (DE): 1 WGK No.: 0096
Dispersion coefficient(octanol-water) : -0.31
Storage class (VCI): 3

CAS No.: 64-17-5

Chemical: *indicator dye(s)*
Storage class (VCI): 12-13

CAS No.: -

10 mL Indicator m

Chemical: *methyl red (pH indicator)*
Water hazard class (DE): 2
Storage class (VCI): 12-13

CAS No.: 493-52-7

Chemical: *ethanol*
PNEC(fresh water) : 0.96 mg/L
PNEC = Predicted No Effect Concentration
LC50daphnia magna/48h : >100 mg/L

CAS No.: 64-17-5

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 30/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

LC50pimephales promelas/96h : 13400 - 15100 mg/L
 LC50leuciscus idus/96h : [48h] 8140 mg/L
 LC50fish/96h : 13 g/L
 EC50daphnia/48h : 9.3-14.2 g/L
 IC50scenedesmus quadricauda/72h : [7d] 5000 mg/L
 EC10pseudomonas putita/16h : [EC5] 6500 mg/L
 Water hazard class (DE): 1 WGK No.: 0096
 Dispersion coefficient(octanol-water) : -0.31
 Storage class (VCI): 3

Chemical: *indicator dye(s)*
 Storage class (VCI): 12-13

CAS No.: -

24 mL pH-1

Chemical: *methyl red (pH indicator)*
 Water hazard class (DE): 2
 Storage class (VCI): 12-13

CAS No.: 493-52-7

Chemical: *ethanol*
 PNEC(fresh water) : 0.96 mg/L
 PNEC = Predicted No Effect Concentration
 LC50daphnia magna/48h : >100 mg/L
 LC50pimephales promelas/96h : 13400 - 15100 mg/L
 LC50leuciscus idus/96h : [48h] 8140 mg/L
 LC50fish/96h : 13 g/L
 EC50daphnia/48h : 9.3-14.2 g/L
 IC50scenedesmus quadricauda/72h : [7d] 5000 mg/L
 EC10pseudomonas putita/16h : [EC5] 6500 mg/L
 Water hazard class (DE): 1 WGK No.: 0096
 Dispersion coefficient(octanol-water) : -0.31
 Storage class (VCI): 3

CAS No.: 64-17-5

Chemical: *phenolphthalein (pH indicator)*
 Water hazard class (DE): 1
 Dispersion coefficient(octanol-water) : 0.9
 Storage class (VCI): 12-13

CAS No.: 77-09-8

Chemical: *indicator dye(s)*
 Storage class (VCI): 12-13

CAS No.: -

100 mL TL C 20

Chemical: *hydrochloric acid*
 PNEC(fresh water) : 36 µg/L
 PNEC = Predicted No Effect Concentration
 LC50fish/96h : 24.6 mg/L
 EC50daphnia/48h : 0.492 mg/L
 EC50pseudokirchneriella subcapitata/72h : 0.78 mg/L
 Water hazard class (DE): 1 WGK No.: 0238
 Storage class (VCI): 8 B

CAS No.: 7647-01-0

100 mL TL H 20

Chemical: *ethylenedinitrilo tetraacetic acid, di Na-salt (EDTA-Na)*
 PNEC(fresh water) : 2.2 mg/L
 PNEC = Predicted No Effect Concentration
 LC50fish/96h : [4d] 41-1592 mg/L
 EC50daphnia/48h : 140 mg/L
 IC50scenedesmus quadricauda/72h : [72h] 2.77-1000 mg/L
 EC10pseudomonas putita/16h : [EC10, 30h] 500 mg/L
 Water hazard class (DE): 2
 Dispersion coefficient(octanol-water) : -4.3
 Storage class (VCI): 12-13

CAS No.: 6381-92-6

30 mL NH₄ -1

Chemical: *sodium hydroxide solution*
 Avoid contact of substance/mixture to environment.
 LC50leuciscus idus/96h : 35-189 mg/L
 LC50fish/96h : 45.4 mg/L

CAS No.: 1310-73-2

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 31/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

EC50_{daphnia/48h} : >100 mg/L
 Water hazard class (DE): 1 WGK No.: 142
 Storage class (VCI): 8 B

Chemical: *tri-sodium citrate* CAS No.: 6132-04-3
 LC50_{fish/96h} : 18-32 g/L
 EC50_{daphnia/48h} : 5.6-10 g/L
 EC50_{chlorella vulgaris/5d} : >18-32 g/L
 EC10_{pseudomonas putita/16h} : EC50_{ps. fluorescens/8h} : >1.8-3.2 g/L
 Water hazard class (DE): 1
 Storage class (VCI): 12-13

2,5 g NH₄ -2

Chemical: *dichloroisocyanuric acid, Na salt* CAS No.: 2893-78-9
 Water hazard class (DE): 3
 Storage class (VCI): 13

Chemical: *sodium chloride* CAS No.: 7647-14-5
 Water hazard class (DE): 1
 Storage class (VCI): 12-13

10 mL NH₄ -3

Chemical: *sodium nitroprusside* CAS No.: 13755-38-9
 Water hazard class (DE): 3
 Storage class (VCI): 6.1 B

Chemical: *ethanol* CAS No.: 64-17-5
 PNEC_(fresh water) : 0.96 mg/L
 PNEC = Predicted No Effect Concentration
 LC50_{daphnia magna/48h} : >100 mg/L
 LC50_{pimephales promelas/96h} : 13400 - 15100 mg/L
 LC50_{leuciscus idus/96h} : [48h] 8140 mg/L
 LC50_{fish/96h} : 13 g/L
 EC50_{daphnia/48h} : 9.3-14.2 g/L
 IC50_{scenedesmus quadricauda/72h} : [7d] 5000 mg/L
 EC10_{pseudomonas putita/16h} : [EC5] 6500 mg/L
 Water hazard class (DE): 1 WGK No.: 0096
 Dispersion coefficient_(octanol-water) : -0.31
 Storage class (VCI): 3

Chemical: *thymol* CAS No.: 89-83-8
 Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.
 Environmental hazards must not be labelled with P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).
 LC50_{pimephales promelas/96h} : 3.2 mg/L
 EC50_{daphnia/48h} : 3.2 mg/L
 Water hazard class (DE): 2 WGK No.: 1220
 Storage class (VCI): 8 A

30 mL NO₃ -1

Chemical: *m-phenylenediammonium dichloride* CAS No.: 541-69-5
 Water hazard class (DE): 3 WGK No.: 1312
 Storage class (VCI): 6.1 D

Chemical: *citric acid* CAS No.: 77-92-9
 PNEC_(fresh water) : 440 mg/L
 PNEC = Predicted No Effect Concentration
 LC50_{leuciscus idus/96h} : 440-760 mg/L
 EC50_{daphnia/48h} : 1535_{24h} mg/L
 IC50_{scenedesmus quadricauda/72h} : 7d: 425-640 mg/L
 EC10_{pseudomonas putita/16h} : EC0: >10 g/L
 Water hazard class (DE): 1 WGK No.: 0057
 Dispersion coefficient_(octanol-water) : -1.72
 Storage class (VCI): 12-13

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 32/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

5 g NO₃ -2

Chemical: *zinc powder (stabilized)* CAS No.: 7440-66-6
 Toxic to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.
 Environmental hazards must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).
 LC50_{fish/96h}: 2.01 mg/L
 EC50_{daphnia/48h}: 0.131 mg/L
 EC50_{pseudokirchneriella subcapitata/72h}: IC50: 0.713 mg/L
 Water hazard class (DE): 2 WGK No.: 7325
 Storage class (VCI): 13

30 mL NO₂ -1

Chemical: *sulfanilamide* CAS No.: 63-74-1
 Water hazard class (DE): 1 WGK No.: n.n.
 Storage class (VCI): 12-13

Chemical: *o-phosphoric acid* CAS No.: 7664-38-2
 LC50_{fish/96h}: 3-3.5 mg/L
 Water hazard class (DE): 1 WGK No.: 0392
 Storage class (VCI): 8 B

5 g NO₂ -2

Chemical: *N-(1-naphthyl)-ethylenediamine dihydrochloride* CAS No.: 1465-25-4
 Water hazard class (DE): 3
 Storage class (VCI): 13

Chemical: *citric acid* CAS No.: 77-92-9
 PNEC (fresh water): 440 mg/L
 PNEC = Predicted No Effect Concentration
 LC50_{leuciscus idus/96h}: 440-760 mg/L
 EC50_{daphnia/48h}: 1535_{24h} mg/L
 IC50_{scenedesmus quadricauda/72h}: 7d: 425-640 mg/L
 EC10_{pseudomonas putita/16h}: EC0: >10 g/L
 Water hazard class (DE): 1 WGK No.: 0057
 Dispersion coefficient (octanol-water): -1.72
 Storage class (VCI): 12-13

25 mL PO₄ -1

Chemical: *ammonium heptamolybdate* CAS No.: 12054-85-2
 Water hazard class (DE): 1 WGK No.: 0637
 Storage class (VCI): 12-13

Chemical: *sulfuric acid* CAS No.: 7664-93-9d
 PNEC (fresh water): 2.5 µg/L
 PNEC = Predicted No Effect Concentration
 LC50_{fish/96h}: [NOEC, 65d] 25 µg/L
 EC50_{daphnia/48h}: 100 mg/L
 EC10_{pseudomonas putita/16h}: [72h] 100 mg/L
 Water hazard class (DE): 1 WGK No.: 0182
 Storage class (VCI): 8 B

25 mL PO₄ -2

Chemical: *sodium disulfite* CAS No.: 7681-57-4
 LC50_{fish/96h}: 150-220 mg/L
 EC50_{daphnia/48h}: 89 mg/L
 IC50_{scenedesmus quadricauda/72h}: 48 mg/L
 Water hazard class (DE): 1 WGK No.: 1169
 Storage class (VCI): 8 B

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 33/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Batteries must be collected separately and disposed acc. law regulations (electronic waste, WEEE). Further: Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1. UN number: 3316 14.2. UN proper shipping name: Chemical Kit

14.3. Class: 9 14.4. Packing group: II

Road transport

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport

PAX: 960 max. weight PAX: 10 KG

CAO: 960 max. weight CAO: 10 KG

Maritime transport

EmS: F-A, S-P Storage category: A

Or use **Alternative declaration for transportation:**

UN No.: (see below) UN 1993 class 3 II, class 8 II, **Excepted Quantities** (≤ 30 mL/ $\Sigma \leq 500$ mL) = ADR/ IATA E2

14.1 UN number: 1993 14.2 UN proper shipping name: Flammable liquid, n.o.s. (ethanol mixture)

14.3 Class: 3 14.4 Packing group: II

Road transport

Classification code: F1 Tunnel restriction code: E

Limited Quantity: 1 L Special instructions: 640C

Excepted Quantity: E 2

Air transport

PAX: 353 max. weight PAX: 5 L

CAO: 364 max. weight CAO: 60 L

Maritime transport

EmS: F-E, S-E Storage category: B

14.1 UN number: 3264

14.2 UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (hydrochloric acid, o-phosphoric acid, sodium disulfite solution)

14.3 Class: 8 14.4 Packing group: III

Road transport

Classification code: C1 Tunnel restriction code: E

Limited Quantity: 5 L

Excepted Quantity: E 1

Air transport

PAX: 852 max. weight PAX: 5 L

CAO: 856 max. weight CAO: 60 L

Maritime transport

EmS: F-A, S-B Storage category: A

14.1 UN number: 3266 14.2 UN proper shipping name: Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide solution)

14.3 Class: 8 14.4 Packing group: II

Road transport

Classification code: C5 Tunnel restriction code: E

Limited Quantity: 1 L

Excepted Quantity: E 2

Air transport

PAX: 851 max. weight PAX: 1 L

CAO: 855 max. weight CAO: 30 L

Maritime transport

EmS: F-A, S-B Storage category: B

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany

DE/international:

CH:

FR:

US:

Tel.: +49 24 21 969-0

Tel.: +41 62 388 55 00

Tel.: +33 388 68 22 68

Tel.: +1 484 821 0984

Fax: +49 24 21 969-199

Fax: +41 62 388 55 05

Fax: +33 388 51 76 88

Fax: +1 484 821 1272

E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w. PF-12 Plus

Page: 34/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

14.5 Environmental hazards

none, contains only small amounts of these substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
 TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011
 MN Leaflet/User manual, also see www.mn-net.com
 Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH031 Contact with acids liberates toxic gas.

16.1.2 List of relevant P phrases

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P260D Do not breathe vapours.
- P260sh Do not breathe dust/vapours.
- P273 Avoid release to the environment.
- P280sh Wear protective gloves/eye protection.
- P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P390 Absorb spillage to prevent material damage.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended restriction on use

Only for professional user.
 Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!
 Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!
 An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 914353

VISOCOLOR case Environm. analyses w.PF-12 Plus

Page: 35/35

Printing date: 06.01.2021

Date of issue: 14.12.2020

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
TRGS 900, German engineering rules governing limits in air at work, updated 03/2019
SUVA .CH, Limits in air at work 2009, revised on 01.2009
KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

2017-08 Adaption of new ethanol denaturation 2016/1867/EU